John I. Gelder	TA's Name		
September 15, 1999	Lab Section		
Please sign your name below t exams. If you do not sign no s you by Dr. Gelder.	o give permission to post your course scores on homework, laboratories and scores will be posted. All scores will be posted by a random number assigned to		
	(signature)		
	INSTRUCTIONS:		
	1. This examination consists of a total of 6 different pages. The last page includes a periodic table and some useful information. All work should be done in this booklet.		
	 PRINT your name, TA's name and your lab section number <u>now</u> in the space at the top of this sheet. <u>DO</u> <u>NOT SEPARATE THESE PAGES</u>. You will receive 2 points for knowing your TA's name AND laboratory section number in which you are officially enrolled. 		
	3. Answer all questions that you can and whenever called for show your work clearly. Your method of solving problems should pattern the approach used in lecture. You do not have to show your work for the multiple choice (if any) or short answer questions.		
	4. No credit will be awarded if your work is not shown in problems 6, 7, 8, 10 and 11.		
	5. Point values are shown next to the problem number.		
	6. Budget your time for each of the questions. Some		

CHEM 1215

Exam I

budget your time for each of the questions. Some problems may have a low point value yet be very challenging. If you do not recognize the solution to a question quickly, skip it, and return to the question after completing the easier problems.

Name _____

- 7. Look through the exam before beginning; plan your work; then begin.
- 8. Relax and do well.

	Page 2	Page 3	Page 4	Page 5	TOTAL
SCORES					
	(31)	(32)	(18)	(19)	(100)

CHEM 1215 EXAM I

1. Complete the following table with the missing information. (8)

Name	Formula	Symbol	Phase $(25 ^{\circ}C)$
1 vuille	1 onnunu	Bymoor	$1 \operatorname{Huse}(25 \text{ C})$
0:1:			
Silicon			
	\mathbf{P}_{4}		
	14		
		Au	
Chlorine			
Chiofine			

(10) 2. Diagram each of the following systems as viewed at the atomic level in the space provided. Be sure to clearly label each of the substances in your diagram.





oxygen at 25 °C.

- Mercury in the liquid phase.
- (6) 3. Indicate the number of significant figures in each of the following numbers;
 - a) 1.310 x 10⁶ L
 - b) 0.00047 g
 - c) 210,006 m
- 4. Complete each calculation and report the answer to the correct number of significant figures (include the (7) units also).
 - a) 17.365 cm 11.07 cm

b)
$$\frac{6.626 \text{ x } 10^{-34} \text{ J s} \cdot 2.9979 \text{ x } 10^8 \text{ m s}^{-1}}{576 \text{ x } 10^{-9} \text{ m}}$$

c)
$$\left(\frac{2.420 \text{ g} + 15.6 \text{ g}}{5.31 \text{ g}}\right) \cdot 3.005$$

CHEM 1215 EXAM I

- (8) 5. Write the formula for the binary ionic compound formed from the following pairs of elements.
 - a) aluminum and oxygen b) sodium and sulfur
 - c) calcium and chlorine d) cobalt and iodine
- (24) 6. Perform the following conversions;
 - a) 100. meters to yards (use at least 3 conversion factors)

b) the body temperature of most birds is 106 °F, calculate the temperature in °C and K.

c) to repair a small hole requires a patch which is 32.7 cm². Calculate the size of the patch is square kilometers(km²).

d) in c) how much would it cost to purchase the material to repair the hole if the cost of the material is \$2.75 per in²?

CHEM 1215 EXAM I

(6) 7. Calculate the heat required to change the temperature of 12.0 g of water from 17.0 $^{\circ}$ C to 83.4 $^{\circ}$ C.

(6) 8. A 30.5 g sample of an alloy experiences a 71.3 °C temperature change when it absorbs 1.12 x 10³ J of heat. Calculate the specific heat (capacity) of the alloy.

(6) 9. Complete the following table.

Symbol	# protons	# neutrons	# electrons	charge
$\frac{75}{33}$ As ⁻³				
	77	116		+3

(10)10. Determine the relative, weighted average atomic mass of the following element, given the three naturally occurring isotopes. (You must show the calculation for full credit.)

Isotope	Isotopic Mass (u)	Percent Abundance
²⁴ Mg	23.9850	78.99
²⁵ Mg	24.9858	10.00
²⁶ Mg	25.9826	11.01

- (9) 11. An empty vial weighs 49.67 g. When filled with mercury it weighs 192.39 g. The density of mercury is 13.53 g cm⁻³.
 - a) Calculate the volume of the vial.

b) What would be the weight of the vial if it is filled with water at 25 °C? (The density of water is 0.997 g cm⁻³ at 25 °C).

Useful Information

1 pound (lb) = 453.59237 gram (gm)

1 liter (L) = 1.056718 quart (qt)

heat = mass \cdot S.H. $\cdot \Delta T$

1 inch (in) = 2.54 centimeters (cm)

Specific Heat (capacity) for $H_2O = 4.184 \frac{J}{g \ ^{\circ}C}$

 $^{\circ}F = \frac{9}{5}^{\circ}C + 32$

K = C + 273.15

average atomic mass = Σ (isotopic mass \cdot fractional abundance)