CHEM 1215 Exam III John III. Gelder November 11, 1998

Name	
TA's Name	

Lab Section

INSTRUCTIONS:

- 1. This examination consists of a total of 7 different pages. The last page includes a periodic table and a solubility table. All work should be done in this booklet.
- 2. PRINT your name, TA's name and your lab section number <u>now</u> in the space at the top of this sheet. <u>DO</u> <u>NOT SEPARATE THESE PAGES</u>.
- 3. Answer all questions that you can and whenever called for show your work clearly. Your method of solving problems should pattern the approach used in lecture. You do not have to show your work for the multiple choice (if any) or short answer questions.
- 4. No credit will be awarded if your work is not shown in problems 3 5 and 8 10.
- 5. Point values are shown next to the problem number.
- 6. Budget your time for each of the questions. Some problems may have a low point value yet be very challenging. If you do not recognize the solution to a question quickly, skip it, and return to the question after completing the easier problems.
- 7. Look through the exam before beginning; plan your work; then begin.
- 8. Relax and do well.

	Page 2	Page 3	Page 4	Page 5	Page 6	TOTAL
SCORES	(30)	(16)	(30)	(12)	(12)	(100)

CHEM 1215 EXAM III

- (12) 1. Write the chemical formula(s) of the product(s) and balance the following reactions. Identify all products phases as either (g)as, (l)iquid, (s)olid or (aq)ueous.
 - a) $2H_3PO_4(aq) + 3Ca(OH)_2(aq) \rightarrow Ca_3(PO_4)_2(s) + 6H_2O(l)$
 - b) $2Ba(s) + 2H_2O(l) \rightarrow 2Ba(OH)_2(aq) + H_2(g)$
 - c) $K_2CO_3(aq) + HCl(aq) \rightarrow$
- (8) 2. Write the balanced ionic and balanced net ionic chemical equations for any two of the reactions in Problem 1. (Remember to include the correct charges on all ions and the phase of each species.)
 - 1a, 1b or 1c) Ionic equation:

Net Ionic equation:

1a, 1b or 1c) Ionic equation:

Net Ionic equation:

(10) 3. Dopamine, $C_8H_{11}O_2N$, is a neurotransmitter. Determine the percent (by mass) composition of each of the elements in dopamine.

(10) 4. Find the empirical formula of a compound that is 48.38% carbon, 8.12% hydrogen, and 53.5% oxygen by mass.

(6) 5. The formula of the sulfate of an unknown metal, X, is $X_2(SO_4)_3$. The compound also is 41.7% X, 19.4% S and 38.9% O. Determine the atomic mass and the symbol of the element X.

CHEM 1215 EXAM III

(20) 6. Complete the following table

	<i>M</i> , Molar	m, Mass of	<i>n</i> , Moles of	N, Number of atoms,
Formula	$Mass\left(\frac{g}{mol}\right)$	sample (g)	sample (mol)	molecules, or formula units
KClO ₃				$1.45 \ge 10^{22}$ formula units
SO ₂		399		
unknown		4.91	6.28 x 10 ⁻²	
Mg ₃ Al ₂ (SiO ₄) ₃	403		2.48 x 10 ⁻²	

(10) 7. The thermite reaction

 $Al(s) + Fe_3O_4(s) \rightarrow Fe(s) + Al_2O_3(s)$

Calculate how many grams of iron can be produced when 14.0 g of Al are combined with excess Fe₃O₄.

(12) 8. Acrylonitrile, C_3H_3N , is an important component for synthetic fibers and plastics. The compound is synthesized from propene (C_3H_6), ammonia and oxygen according to the equation,

 $\mathrm{C_3H_6}(g) \ + \ \mathrm{NH_3}(g) \ + \ \mathrm{O_2}(g) \ \rightarrow \ \mathrm{C_3H_3N}(l) \ + \ \mathrm{H_2O}(g)$

89.5 g of propene are added to an amount of ammonia and oxygen. After the reaction occurs 1.65 moles of C₃H₃N are produced. Answer each of the following,

a) the mass of C_3H_3N produced?

b) the mass of NH₃ reacting?

c) Is propene the limiting reagent in this reaction? Explain. (You may use a calculation to support your answer.)

(12) 9. The reaction which occurs when an Alka-SeltzerTM tablet is added to water,

 $3NaHCO_3(aq) + H_3C_6H_5O_7(aq) \rightarrow 3CO_2(g) + 3H_2O(g) + Na_3C_6H_5O_7(aq)$

One Alka-Seltzer tablet contains 1.92 g of sodium bicarbonate and 1.00 g of citric acid. What mass of carbon dioxide gas will fizz out when one tablet is plopped into water?

	IA Periodic Table	of the Elements VIIIA
1	$\begin{bmatrix} 1 \\ \mathbf{H} \end{bmatrix}$	$\frac{2}{\mathbf{He}}$
	1.008 IIA 3 4	IIIA IVA VA VIA VIA 4.00 5 6 7 8 9 10
2	Li Be	B C N O F Ne
	6.94 9.01 11 12	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
3	NaMg22.9924.30IIIBIVBVBVIBVIII	Al Si P S Cl Ar B VIII IB IIB 26.98 28.09 30.97 32.06 35.45 39.95
4	19 20 21 22 23 24 25 K Ca Sc Ti V Cr Mr	n Fe Co Ni Cu Zn Ga Ge As Se Br Kr
~	39.10 40.08 44.96 47.88 50.94 52.00 54.9 37 38 39 40 41 42 43	44 45 46 47 48 49 50 51 52 53 54
5	Rb Sr Y Zr Nb Mo Tc 85.47 87.62 88.91 91.22 92.91 95.94 (98)	
6	55 56 57 72 73 74 75 Cs Ba La Hf Ta W Re	
	132.9 137.3 138.9 178.5 180.9 183.8 186. 87 88 89 104 105 106 107	.2 190.2 192.2 195.1 197.0 200.6 204.4 207.2 209.0 (209) (210) (222)
7	Fr Ra Ac Rf Db Sg Bh	h Hs Mt
	(223) 226.0 227.0 (261) (262) (263) (262	2) (265) (266)
	58 59 60	
	Lanthanides Ce Pr No	
	Actinides $\begin{array}{c c} 90 & 91 & 92 \\ \textbf{Th} & \textbf{Pa} & \textbf{U} \end{array}$	2 93 94 95 96 97 98 99 100 101 102 103
	232.0 231.0 238	
		Solubility Table
	lon <u>Solubility</u>	Exceptions
	NO ₃ soluble	none
	ClO ₄ soluble	none
	Cl ⁻ soluble	except Ag^{+} , Hg_{2}^{2+} , *Pb ²⁺
	SO ₄ ²⁻ soluble	except Ca ²⁺ , Ba ²⁺ , Sr ²⁺ , Hg ²⁺ , Pb ²⁺ , Ag ⁺
	CO_3^{2-} insoluble PO_4^{3-} insoluble	except Group IA and NH_4^+
	PO_4° insoluble	except Group IA and NH_4^+
	CrO ₄ ²⁻ insoluble	except Group IA, IIA and NH_4^+
	⁻ OH insoluble S ²⁻ insoluble	except Group IA, *Ca ²⁺ , Ba ²⁺ , Sr ²⁺
	+	except Group IA, IIA and NH4 ⁺
	Na soluble	none
	K ⁺ soluble	none
		*slightly soluble