Investigating Chemical Reactions

Name _____


Section (CRN)_____


Problem Statement: How are masses of reactants and products related in a chemical reaction?

I. Preliminary Information

A. Using your textbook or an online source define/describe a chemical reaction. (Cite your source.)

B. For each of the following changes indicate which represents a chemical change and which represents a physical change. For each provide a brief explanation to support your claim.






C. Answer the questions below regarding the reaction between hydrogen and oxygen to form water.

- i) Write the formula for the element, hydrogen.
- ii) Write the formula for the element oxygen.
- iii) Write the formula for the compound water.

iv) Write the balanced chemical equation (using the smallest whole number coefficients) that describes the reaction of hydrogen plus oxygen to form water.


v) In the chemical equation you wrote in Civ above, if you multiplied each of the coefficients by 2 does that change anything about the chemical equation? Provide a brief explanation to support your yes or no answer.

D. Figure I. below depicts the particulate level (submicroscopic) representation of a container (the box on the left) with a mixture of hydrogen and oxygen molecules before a reaction occurs, and the <u>same</u> container (the box on the right) after a reaction occurs.




Write the balanced chemical equation (using whole number coefficients) that describes the reaction of hydrogen plus oxygen to form water.

E. Figure II. below depicts the particulate level (submicroscopic) representation of a container (the box on the left) with a mixture of hydrogen and oxygen molecules before a reaction occurs, and the same container (the box on the right) after a reaction occurs.



Write the balanced chemical equation (using whole number coefficients) that describes the reaction of hydrogen plus oxygen to form water.


F. The Figure III. below depicts the particulate level (submicroscopic) representation of a container (the box on the left) with a mixture of hydrogen and oxygen molecules before a reaction occurs, and the same container (the box on the right) after a reaction occurs.



Write the balanced chemical equation (using whole number coefficients) that describes the reaction of hydrogen plus oxygen to form water.

- G. Summarizing parts D F.i) What is different about Figures I III shown above?
- ii) What is the same about Figures I III shown above?


H. The Figure IV. below depicts the particulate level (submicroscopic) representation of a container (the box on the left) with a mixture of hydrogen and oxygen molecules before a reaction occurs, and the same container (the box on the right) after a reaction occurs.



i) Write the balanced chemical equation (using whole number coefficients) that describes the reaction of hydrogen plus oxygen to form water.

I. What is different about the Initial condition in Figure IV compared to Figures I - III?

J. Consider Figure V below and complete the contents of the Initial Conditions, before the reaction begins.





K. One way to summarize the amounts of reactants and products in a chemical reaction is to use a table that shows the Initial amounts of reactants and products, the Final amounts of reactants and products and the Change in the amounts of reactants and products.

Returning to Figure I in part D above, the table that summarizes the amounts of reactants and products in the chemical reaction would look like the following;

Looking at the Initial Conditions

	$H_2(g) +$	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial	2 molecules	1 molecule		0 molecules
Change				
Final				

Looking at the Final Conditions

	$H_2(g) +$	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial	2 molecules	1 molecule		0 molecules
Change				
Final	0 molecules	0 molecules		2 molecules

Determine the Change amounts

	$H_2(g)$ +	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial	2 molecules	1 molecule		0 molecules
Change	-2 molecules	-1 molecules		+2 molecules
Final	0 molecules	0 molecules		2 molecules

Complete the tables below for Figures II, III, IV and V.

Figure II:

	$H_2(g) +$	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial				
Change				
Final				

Figure III:

	$H_2(g) +$	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial				
Change				
Final				

Figure IV:

	$H_2(g) +$	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial				
Change				
Final				

Figure V:

	$H_2(g) +$	$O_2(g)$	\rightarrow	$H_2O(g)$
Initial				
Change				
Final				

L. Consider the Change amounts for each of the tables above. What is interesting about the ratios of the numbers in the Change row for all four examples.

During Class Invention


Name(s) with Lab section in Group

Stoichiometry Part I


1. The equation for the reaction is

 $2S(g) + 3O_2(g) ---> 2SO_3(g)$

Consider a mixture of sulfur atoms and dioxygen molecules in a closed container below:



For each of the following explain why the representation is correct or incorrect.





2. The reaction between hydrogen and oxygen to form water is shown below

$$2H_2(g) + O_2(g) \rightarrow 2H_2O(g)$$


a) In the container below draw a mixture of the reactants before any reaction has occurred.

b) In the container below draw the mixture after the reaction has occurred as described by the equation above.





c) In the left most container below is a mixture of H_2 and O_2 molecules. In the container on the right, below draw what the contents of the container would be after the reaction takes place.



3. In the combustion reaction

 $C_6H_{14}(l) + O_2(g) \rightarrow CO_2(g) + H_2O(g)$

Calculate the number of moles of $\ensuremath{\mathrm{CO}}_2$ formed when

- a) 2.0 moles of C_6H_{14} react with excess O_2
- b) 6.0 moles of O_2 react with excess C_6H_{14}
- c) $38.0 \text{ g of } H_2O$ is formed

4. In the formation reaction

 $2\mathrm{SO}_2(g) + \mathrm{O}_2(g) \to 2\mathrm{SO}_3(g)$

Calculate the number of moles of SO_3 formed when

a) 2.0 moles of SO_2 are reacted with 5.0 moles of O_2

b) 6.0 moles of O_2 are reacted with 4.0 moles SO_2

c) 9.0 moles of O_2 are reacted with 5.0 moles of SO_2

d) 0.0812 moles of SO_2 react with 0.125 moles of O_2

e) 20.0 g SO₂ react with 15.0 g of O_2

5. Given an equation

$$2\mathrm{C}_{2}\mathrm{H}_{6}(g) + 7\mathrm{O}_{2}(g) \xrightarrow{\Delta} 4\mathrm{CO}_{2}(g) + 6\mathrm{H}_{2}\mathrm{O}(g)$$

How many mol of CO₂ will be formed by the complete combustion of 6.6 mol C₂H₆?

How many moles of C₂H₆, assuming excess oxygen, are required to form 3.7 mol H₂O?

6. Determine the amount of iodine produced when 145 g of KI react with excess copper (II) chloride.

 $2CuCl_2(s) + 4KI(s) \rightarrow 2CuI(s) + 4KCl(s) + I_2(s)$