

Name _____

TA's Name _____




Section _____

INSTRUCTIONS:

1. This examination consists of a total of 8 different pages. The last three pages include a periodic table, a table of vapor pressures for water, a solubility table and a table of thermodynamic values. All work should be done in this booklet.
2. PRINT your name, TA's name and your lab section number now in the space at the top of this sheet. DO NOT SEPARATE THESE PAGES.
3. Answer all questions that you can and whenever called for show your work clearly. Your method of solving problems should pattern the approach used in lecture. You do not have to show your work for the multiple choice or short answer questions.
4. No credit will be awarded if your work is not shown in 4a, 4d and 8.
5. Point values are shown next to the problem number.
6. Budget your time for each of the questions. Some problems may have a low point value yet be very challenging. If you do not recognize the solution to a question quickly, skip it, and return to the question after completing the easier problems.
7. Look through the exam before beginning; plan your work; then begin.
8. Relax and do well.

	Page 2	Page 3	Page 4	Page 5	TOTAL
SCORES	_____	(23)	(35)	(18)	(24) _____ (100)

- (9) 1. Write the chemical formula(s) of the product(s) and balance the following reactions. Identify all products phases as either (g)as, (l)iquid, (s)olid or (aq)ueous. Soluble ionic compounds should be written in the form of their component ions.




- (4) 2a. Write the ionic and net ionic chemical equation for 1a) or 1b).


Ionic equation

Net Ionic equation

- (10) 3. Predict whether the entropy change in the system is positive or negative for each of the following processes.



4. Methanol, CH_3OH , can be synthesized by reacting hydrogen gas with carbon monoxide, according to the chemical equation,




(18) a) Calculate $\Delta H^\circ_{\text{rxn}}$, $\Delta S^\circ_{\text{rxn}}$ and $\Delta G^\circ_{\text{rxn}}$.

(4) b) Which factor, the change in enthalpy, ΔH° , or the change in entropy, ΔS° , provides the principal driving force for the reaction at 298 K? Explain.

(5) c) For the reaction, how is the value of the standard free energy change, ΔG° , affected by an increase in temperature? Explain.

(8) d) Calculate the ΔS°_f for $\text{CH}_3\text{OH}(l)$.

- (12) 5. A sample of water is in the vacuum flask shown below.



The vacuum flask side arm has vacuum rubber tubing with one end attached to the flask and the other end attached to a vacuum pump (can not see in this diagram). When the vacuum pump is on any gas/vapor in the flask is removed.

In an experiment the water placed into the flask initially is at room temperature. The rubber tubing is attached to the flask and the vacuum pump, and the pump is turned on. After the pump has been on for several minutes the following two observations are made:

1. the volume of water in the flask has decreased;
2. what water remains has turned to ice.

Explain both of these observations.

- (6) 6. Give the name or draw the complete Lewis structure (showing all C-H(X) bonds) for each of the following compounds.

$\begin{array}{c} \text{CH}_3\text{CH}_2 & \text{CH}_2\text{CH}_3 \\ & \\ \text{CH}_3 & \text{CCH}_2\text{CH} \\ & \\ \text{CH}_3 & \text{CH}_3 \end{array}$	4-ethyl-2,3-dimethylhexane	1,1-dichloro-2,2-difluoroethane
--	----------------------------	---------------------------------

(12) 7. Draw and name six different structural isomers for C₈H₁₈. (NOTE: You may use condensed formulas when representing the different structural isomers.)

(12) 8. CH₃I has a vapor pressure of 400 mm Hg at 25.3 °C. Calculate the temperature that CH₃I has a vapor pressure of 40.0 °C. ΔH°_{vap} for CH₃I is 29.2 kJ mol⁻¹.

Periodic Table of the Elements

	IA													VIIIA				
1	H 1.008	IIA												He 4.00				
2	Li 6.94	Be 9.01																
3	Na 22.99	Mg 24.30	IIIIB	IVB	VB	VIB	VIIIB	VIII		IB	IIB	III	IVA	VA	VIA	VIIA		
4	K 39.10	Ca 40.08	Sc 44.96	Ti 47.88	V 50.94	Cr 52.00	Mn 54.94	Fe 55.85	Co 58.93	Ni 58.69	Cu 63.55	Zn 65.38	Ga 69.72	Ge 72.59	As 74.92	Se 78.96	Br 79.90	Kr 83.80
5	Rb 85.47	Sr 87.62	Y 88.91	Zr 91.22	Nb 92.91	Mo 95.94	Tc (98)	Ru 101.1	Rh 102.9	Pd 106.4	Ag 107.9	Cd 112.4	In 114.8	Sn 118.7	Sb 121.8	Te 127.6	I 126.9	Xe 131.3
6	Cs 132.9	Ba 137.3	La 138.9	Hf 178.5	Ta 180.9	W 183.8	Re 186.2	Os 190.2	Ir 192.2	Pt 195.1	Au 197.0	Hg 200.6	Tl 204.4	Pb 207.2	Bi 209.0	Po (209)	At (210)	Rn (222)
7	Fr (223)	Ra 226.0	Ac 227.0	104	105	106												

Lanthanides
Actinides

58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm (145)	62 Sm 150.4	63 Eu 152.0	64 Gd 157.2	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168.9	70 Yb 173.0	71 Lu 175.0
90 Th 232.0	91 Pa 231.0	92 U 238.0	93 Np 237.0	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (260)

Useful Information

$$PV = nRT$$

$$\ln \frac{P_2}{P_1} = -\frac{\Delta H^\circ_{\text{vap}}}{R} \left(\frac{1}{T_2} - \frac{1}{T_1} \right)$$

$$R = 0.0821 \frac{\text{L}\cdot\text{atm}}{\text{mol}\cdot\text{K}} = 8.314 \frac{\text{J}}{\text{mol}\cdot\text{K}}$$

$$\text{density of H}_2\text{O} = 1.00 \frac{\text{g}}{\text{cm}^3}$$

$$\text{density of H}_2\text{O} = 1.00 \frac{\text{g}}{\text{cm}^3}$$

$$\Delta H^\circ_{\text{rxn}} = \sum n(\Delta H_f^\circ(\text{products})) - \sum m(\Delta H_f^\circ(\text{reactants}))$$

$$\Delta S^\circ_{\text{rxn}} = \sum n(S^\circ(\text{products})) - \sum m(S^\circ(\text{reactants}))$$

$$\Delta G^\circ_{\text{rxn}} = \sum n(\Delta G_f^\circ(\text{products})) - \sum m(\Delta G_f^\circ(\text{reactants}))$$

$$\Delta G^\circ = \Delta H^\circ - T\Delta S^\circ$$

Temperature (°C)	Vapor Pressure(mmHg)	Temperature (°C)	Vapor Pressure(mmHg)
-5	3.2	50	92.5
0	4.6	55	118.0
5	6.52	60	149.4
10	9.20	65	187.5
15	12.8	70	233.7
20	17.5	75	289.1
25	23.8	80	355.1
30	31.8	85	433.6
35	42.1	90	525.8
40	55.3	95	633.9
45	71.9	100	760

Solubility Table

<u>Ion</u>	<u>Solubility</u>	<u>Exceptions</u>
NO_3^-	soluble	none
ClO_4^-	soluble	none
Cl^-	soluble	except Ag^+ , Hg_2^{2+} , * Pb^{2+}
I^-	soluble	except Ag^+ , Hg_2^{2+} , Pb^{2+}
SO_4^{2-}	soluble	except Ca^{2+} , Ba^{2+} , Sr^{2+} , Hg^{2+} , Pb^{2+} , Ag^+
CO_3^{2-}	insoluble	except Group IA and NH_4^+
PO_4^{3-}	insoluble	except Group IA and NH_4^+
-OH	insoluble	except Group IA, * Ca^{2+} , Ba^{2+} , Sr^{2+}
S^{2-}	insoluble	except Group IA, IIA and NH_4^+
Na^+	soluble	none
NH_4^+	soluble	none
K^+	soluble	none
		*slightly soluble

Thermodynamic Values (25 °C)

Substance and State	ΔH_f° kJ/mol	ΔG_f° kJ/mol	S° J/K·mol	Substance and State	ΔH_f° kJ/mol	ΔG_f° kJ/mol	S° J/K·mol
Carbon							
C(s) (graphite)	0	0	6	O ₂ (g)	0	0	205
C(s) (diamond)	2	3	2	O(g)	249	232	161
CO(g)	-110.5	-137	198	O ₃ (g)	143	163	239
CO ₂ (g)	-393.5	-394	214				
CH ₄ (g)	?	-51	186	Nitrogen			
CH ₃ OH(g)	-201	-163	240	N ₂ (g)	0	0	192
CH ₃ OH(l)	-239	-166	127	NCl ₃ (g)	230	271	-137
CH ₃ Cl(g)	-80.8	-57.4	234	NF ₃ (g)	-125	-83.6	-139
CHCl ₃ (g)	-100.8			NH ₃ (g)	?	-17	193
CHCl ₃ (l)	-131.8			NH ₃ (aq)	?	-27	111
H ₂ CO(g)	-116	-110	219	NH ₂ CONH ₂ (aq)	?	?	174
HCOOH(g)	-363	-351	249	NO(g)	90	87	211
HCN(g)	135.1	125	202	NO ₂ (g)	32	52	240
C ₂ H ₂ (g)	227	209	201	N ₂ O(g)	82	104	220
C ₂ H ₄ (g)	52	68	219	N ₂ O ₄ (g)	10	98	304
CH ₃ CHO(g)	-166	-129	250	N ₂ O ₅ (g)	-42	134	178
C ₂ H ₅ OH(l)	-278	-175	161	HNO ₃ (aq)	-207	-111	146
C ₂ H ₆ (g)	-84.7	-32.9	229.5	HNO ₃ (l)	-174	-81	156
C ₃ H ₆ (g)	20.9	62.7	266.9	NH ₄ Cl(s)	-314	-201	95
C ₃ H ₈ (g)	-104	-24	270	NH ₄ ClO ₄ (s)	-295	-89	186
Bromine							
Br ₂ (l)	0	0	152.	Silver			
BrCl(g)	14.64	-0.96	240	Ag(s)	0	0	42.6
Chlorine				Ag ⁺ (aq)	105.6	77.1	72.7
Cl ₂ (g)	0	0	223	Ag(S ₂ O ₃) ³⁻ (aq)	-1285.7	--	--
Cl ₂ (aq)	-23	7	121	AgBr(s)	-100.4	-96.9	107.1
Cl ⁻ (aq)	-167	-131	57	AgCl(s)	-127.1	-109.8	96.2
HCl(g)	-92	-95	187	Sulfur			
Fluorine				S(rhombic)	0	0	31.8
F ₂ (g)	0	0	203	SO ₂ (g)	-296.8	-300.2	248.8
F(aq)	-333	-279	-14	SO ₃ (g)	-395.7	-371.1	256.3
HF(g)	-271	-273	174	H ₂ S(g)	-20.17	-33.0	205.6
Hydrogen				Titanium			
H ₂ (g)	0	0	131	TiCl ₄ (g)	-763	-727	355
H(g)	203	115		TiO ₂ (s)	-945	-890	50
H ⁺ (aq)	0	0	0	Aluminum			
OH ⁻ (aq)	-230	-157	-11	AlCl ₃ (s)	-526	-505	184
H ₂ O(l)				Barium			
H ₂ O(g)	-242	-229	189	BaCl ₂ (aq)	-872	-823	123
Magnesium				Ba(OH) ₂ ·8H ₂ O(s)	-3342	-2793	427
Mg(s)	0	0	33	Iodine			
Mg(aq)	-492	-456	-118	I ₂ (s)	0	0	116.7
MgO(s)	-601	-569	26.9	HI(g)	25.94	1.30	206.3

